


#### Terms and Conditions

Absorbt Trezheled Pohlabers (ATE) enhan ne wernegy et oeg blad eeb separt to this entraded, brezhiñeg, het een fleited in, the lapfied wasserbia fitness et a prefesteur penpron. ATE shell seet the finite for resus castelan bernin se for incidented or reassequentied desenges in conservation with th bernishing, performance, se son of this entraded.

This recurrent contains preparency information which is passected by copyright. All rights are reserved. He park at this decisions may be photoscapial, equivalent, or invalued in another beginning without the million contains of AFP. The information contained in this discussion is

BRITTO BS. GENTRIBUTMS INSTRUS. "They, deplication or disclosure by the Generalized in subject to resolutions on set froth in subpromptings (c) §? [6] of the Bights in Technical Rote Classes or DEATS 57 277-781.3"

235523 2000000






Figure 7






Figure 8











Figure 11












Figure 15




Figure 16








Figure 17





















AD Number	Effective Date	Description	Applicable Service Information
Gulfstreem	Aerospace	- Model G-IV - T C # MANA	
88-02-01 R1	02/13/89	To prevent the potential display and use of hazardously misleading information from	100 004 004 004
88-20-04	05/11/81	To prevent loss of engine power while flying in icing conditions	GC 794 Pe 48 A
89-02-12	04/03/89	To prevent premature turns toward the nurway while conducting ILS approaches	6086V4D
89-04-10	04/03/89	To prevent inadvertent pusher activation during rotation on takeoff	-00 (A 854)
89-05-05	05/08/89	To ensure that the engine fire extinguishing system electrical power leads are properly connected	120 00 00 S
90-02-05	02/13/90	To prevent an airplane taking off in an unsafe	6080 M402





	napection History	٠	· · · .		· · · · · · · ·	• • • •	NIAT			
ins Date	pection Type	This F	<u>light</u> Cucles	Frect	TEN	CCUMA TSO	tive Totals Freq	TSN	TSO	
	skilpewndlolfvuild						alskihmyth			
	<del> </del>		<u> </u>					<u> </u>	<del> </del> -	-41:
		<u> </u>		<u> </u>	Г.,,	$\Box$		<u> </u>	ļ., .	
										33333
						*****				
										$\cdots$
			······································	******						



Choose inspection His	loty Record:		Pro	ide ID:	NIA	ΙP	4	ے اناز
Inspection Date Type	This Flight Hours Cycles	FreaL	A. ∴ Nat		re Totali		TSO	
12/12/12 skilpewndfollw								
					- <del></del>	+	<b>├</b> ─-	
	إحبباحيا					ļ	1 3	]
Change Inspection								7 8
Profile 10: N1	AIP	insp	ections Date:					
Inspection Type:	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	40 J. 600.	Cycles:		╡	₩		
Frequency			TSN:		┥.∷	TSO:		
Frequency:			TSN:		<b>=</b> 1:	TSQ:		1118
Frequency		<u> </u>	TSN:		₹.∷	TSO:		]] 🗵
acility:				Bepaw !	lation #			
ontact			Title:					]
ddress:			Phone:					.  -
			FAX:					
	نن لـــــــــــــــــــــــــــــــــــ	· C	puntry				:::```:	
ity.	State:		*					
omments:				Comme	IN THE		<u> </u>	<b>}</b> }

F	i	q	u	r	e	2	7

ose AD Com	pliance Record:	101 - 101	Pio	ide ID:	NIAT	P	‱‱ [≄]
ocument	Description	issue Date	Action	Date :	Como	fiance Freq.	Units
92-04-03 R1		12/12/91	On Condition	2/20/92	12345	APU Hours	12345 4
							<u>├</u>
					<u> </u>	····	



Cucose an Combas	nce Record: .		Profi	le ID:	NIAT	Р	3
Document	Description	listue Date	Action	Date:	Como	Freq.	Units
CB 92-04-03 R1		12/12/31	On-Condition	2/20/92	12315	APIJ Hours	12215
					=		
<del></del>					<del>!:\</del>		1 17
-Change AD Com	pliance Event Re	cord —			11.11		****
Profile ID NIATI		<b>⊤</b> ""	Inspect	ion			131
Component:		<b>]</b> ::::	Squa	k:			3
lanulacurer:			Model				
ari Number:			Serial Num	ber:			
Doc ID:		Description	on:				:
Compliances							الننت
Type:	্ৰ খ		Action				*
Date: / /	Hour		Freque	ency:		Unite:	
ecuring	Last Complied Date	e. //	Freque	ncy_		Linits:	
N	ext Compliance Dat	ec / /	Freque	ncy: [		. Units: [	
Operation:		Met	hod:				\$
uthorization: T	pe:		₹} By				<u>*</u>
	<del></del>			·			<del></del>

F	i	a	u	r	e	2	9
_	_	9	ч	-	_	~	~

Choose St Comp	liance Record: —		Pro	ide ID:	NIAT	P		3
Document	Description	issus Date	Action	∷: Date∷	Come	freq.	Unit	
CC8 92-04-03 R1		12/12/91	On Condition	2/20/92	12345	APU Hours	12345	13
							士	3
		-1				<u></u>	<u> </u>	14
								::::
								:::

F	i	g	u	r	e	3	C

Choose St Compl	iance Record:		Pro	ide ID;	NIAT	Р	4	Ì
D ocument	Description	Issue Date	Action	Date	Como	Freq.		
CR 92-04-03 R1		12/12/91	In-Condition	2/21//32	12845	APIJ Hour	12215 (4	<u> </u>
					-		<b></b>	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					•			
Change SI Co	ngliance Event Red	cord: ——	****	****				12
Profile ID: N1/	ITP	]	Inspe	tion:	••••	• • • • • • • • • • • • • • • • • • • •	13	
Component:		];;;;;···	Squ	awk:				陳
lanulacurer:			Model				:	
arl Number		333 33	Serial Nu	aber:				:
Doc ID:		Descriptio	n:				:	32
ompliance:			:\ <u>.</u> ;:::					
Type:			Action			Unite	<u> </u>	$\parallel$
Date: / /	House		<b>=</b>	ency.		Units:		
ecurring:	Last Complied Date Next Compliance Date	·.	<b>-1.</b>	ency:		Units:	{:	1000
peration:	NEAR COMPRIANCE DES	Meth		cincy.		] . io. = 10. f	3	
	Type:			ý.		<del></del>	<u>*</u>	1
omments:			<u> </u>		<del></del>		1	
<del></del>	<del></del>						التسيي	1

F	i	g	u	r	e		3	1
---	---	---	---	---	---	--	---	---

MUDINANCE, AU	Applicability:		Profile ID:	NIATP	4
AD	. Manufacturer	Description	Inspec	Apr tion Comp.	
ir Conditioner	I	<del></del>	<del></del>		
1-01-06					(4) (4)
0-12-04					
<del> </del>	<u> </u>				
			. <del> </del>		<del> </del>
		\$968859958599			
	resolutiones (				
		<			

Figure 3:
-----------


Hanco AU	Applicabil	ily:		<del> </del>	Pi	olile ID;	NIA	ΤP		
uo ::	Manuf	acturer.	∵De	scription		Inso	ection( · · )	Appli Comp. C	cability mpl: In	
nditioner 06						Ι—				
<u> </u>			<u></u>			<del>                                     </del>		-+		-8
			L			Ι				<u>-</u>
en e					A	· · · · · · · ·	<u>````````</u>			
inspecu	ou ao son	maint to 9	22OCI916	with these	Applia	NC# AU	Appicab	My Hec	×437 —	
Inspecti		Thús Fl	ight.	💥 🤃			ve Total			. :
sto .	Туре	Hours	Cycles	Freq	TSN	150	Freq.	TSN	TSO.	<u> </u>
		+							<del>                                     </del>	N.SEC.
		1							╁	-kiil :
		+						<del></del> -	<del>                                     </del>	531
			*.*.		• • • • • • • • • • • • • • • • • • • •					
		XXXXXX	((:))((	::::::::::::::::::::::::::::::::::::::	>:(( <u>(</u> )	994499	::::::::::::::::::::::::::::::::::::::	XXXXX		
					****					
		*******								`````
										3-3-1-1-1-1



ppliance AD Applicability: —		Profile ID:	NIATP	3.
AD Manufacture	r Description	Inspec	Application Comp. Comp.	ility L. Insp.
Conditioner				14
01-06 12-04				
1200		<del></del>	<del></del>	
	<del> </del>			
Create New Component Re	card.			
titie in the state of the state		· · · · · · · · · · · · · · · · · · ·		
Profile 10:	Active:		ecord Created:	
- 1881 - 1881 - 18 <u>81 - 1881 -</u>			cord Changed:	′ ′
omponent Category:	Azsigi	ned Category:		8
Component Type;	£			
Manufacturer			<b>I</b>	
Modelt	<b>.</b>	Certification	#: #:	(美)
Part Number:	De:	scription:		
. Serial Number:		Wa	ranty Expires:	<del>77 [</del> ]]
Manufacture Date:	11 (300)		ced in Service:	<del>777</del> 11
Time Since New Hours:	tsi		<b>3</b>	
ine Since Overhaul Hours:	TSI		<u>+</u>	<del> </del>  :
	<del>7 7 - </del> 8 - 8 - 8 - 8 - 8	Component In		===∹∷
Component Installed Dates				
Component Installed Date:	// Remove			:


	F	i	q	ur	e	3	4
--	---	---	---	----	---	---	---


Choose Squ	uawk: His	rock H o	coid:		::: <u>:</u>	Profi	de ID:	NIATP	<b>************************************</b>	ľ
quawk ID	Date	ATA:	A/C Hours	Freq	Units	Сопесто Date	od.	Description		
234567	T								<u> </u>	
		<u> </u>				<u> </u>				18
	<del></del>	بلسبا			<u> </u>	<u> </u>	<u> </u>		<u></u>	1
		36663	344433	·(((()))	((()))		20026	333666333366	0040000000	P
										1
										1
										1
										1
										] 😉
										16
										1
										1
										1
										1



Choose Sou	owk Hist	ory files	oid.		::: ::::::::::::::::::::::::::::::::::	Profile i	D: N1	ATP		4
Squawk ID:	Date	ATA:	A/C Hours	Freq.	Units	Conected Date	:	escription	n ::::	
34567						لإسمار				
										1333
	<u></u>	<del>!!</del>			<u> </u>	<u> </u>				
Change Se	mawik l	liston	Recon	·						
Profile ID:		,				∵ Squawk:		··	•.•	···
Companent				£			<del>}</del>		444	
lanulacurer.					ַ	Nodet:				
Parl Number:		<del></del>	<del>,</del>	<u>]`::::</u>	∵.S	rial Number				
quawk Date:		:٨/	CHours			ATA Refe	rence:			14
Frequency;			Units	<u> </u>	<u> </u>	equency:		Units	<u>:                                    </u>	
quawk Repo	nea Hy.	<u></u>								-,;;
escription:			<del></del>	<del></del> -						
Squawk Coru	cted Da	ui /	/ 1	/C Hou	<b>A</b>	Iniped			1.11	72
Squawk Corn	`.··.	. –			7.7.7.	Comment F				
			<u> </u>	<u> </u>	<del></del>	·				
77.		(*(*)*	-:-:-:	:::: ·	;;;· ;·			-11-1-	333	<del>     </del>
	111						7.7.			







NIATP	Category Aiframe Aiframe Engine 1 Engine 2 Engine 2	Multi Engine Audilary Power Unit Turbine Thrust Reverser Turbine Thrust Reverser	Mariufacturer, Gufstream Aero Garrett Rolls Royce Grumman Rolls Royce Grumman	Modet: G-V GTCP 36-150(G) T ay 611-8 G-634-9 T ay 611-8 G-634-9



Profile ID:	Category:	Lene: M	lanufacturer:	Model:	<b>1</b> 43
	<b>等的</b>				
			<del></del>		<b>國</b>
hange Profile Re	cord:	<del></del>			
Profile ID:		ctive:	Profile Creat	edi::: 77	
			Profile Cha	nged: //	J
Operator:		<del></del>			_
Contact:	<u></u>	<b>,</b> ## ##	Title:		وَا إِنَّا لِبُ
Address: City:		# # #	idale:		z: III
ZIP.	<del></del>		ountry:	<u></u>	4
Phone:		****	X Phone:		╡╢╠
Ione Phone:	<del></del> -∹		122 - 32 <del>1</del> 122	166 666	_   [
Certificate of A	irworthiness Issued.	77	FAR Regist	ration:	╗╢
omments;					<b>-</b> 711
	<del></del>	<del> </del>	*****	777	<b>→</b> .



Profile ID: 1ATP	Automo Automo Engine 1 Engine 1 Engine 2 Engine 2	Milit Engine Austlery Power Unit Turbine Thrust Reverser Turbine Thrust Reverser	Mériul activér: Guilstream Aero Gerrett Rolls Royce Grumman Rolls Royce Grumman	Modet GIV GICP 36-150(G) Tay 611-8 G-634-9 Tay 611-8 G-634-9	(488888) (488888)
hange Componen	Repord:				
Profile ID: N		Active: Y C	omponent Record	Created: 17	ין ו כ
			moonant Record C	henged: 77	J
nponent Category			Category,	િ	3.
Component Type;		4	1944		
Manufacturer:		1:21	Cortification #:		- 11
Model		12	ption:		뵉
Part Number:		Uesci	Wananii	Eunicaio / /	-
Manufacture	ا / اشده	<del>, 1997, 1</del> 88, 188	Placed in	· · · · · · · · · · · · · · · · · · ·	╡╢╢
Time Since New H		TSN:		143	<b>51</b>
e Since Overhaul H	· · · · · · · · · · · · · · · · · · ·	TSO:		<u> </u> ₩	5.H
omponent installed			omponent Installe	Hours:	<b>7</b>
mponent Removed		Removed			╡╽┫

Figure 41




Figure 42




Figure 43





Figure 44






Figure 46






Figure 47



AD Number	Ellective Date	Description	Applicable Service Information	
Gullstream	Aerospace	- Model G-IV - T.C.# MANA		
88-02-01 R1	02/13/89	To prevent the potential display and use of hazardousty misleading information from	100 000 M-600	
88-20-04	05/11/81	To prevent loss of engine power while flying in icing conditions	জ্যেশ্যন কৰা ক	
89-02-12	04/03/89	To prevent premature turns toward the runway while conducting ILS approaches	60.89 W3DF	
89-04-10	04/03/89	To prevent inadvertent pusher activation during rotation on takeoff	OC 64,654	
89-05-05	05/08/89	To ensure that the engine fire extinguishing system electrical power leads are properly connected	ocida esa	
90-02-05	02/13/90	To prevent an airplane taking off in an unsafe	(+0.84) (V-0.02)	


Figure 49





AD Number	Manufacturer	Subject	General Applicability
Issue Numb	er 92-04		
91-02-07 R1	Bell - Correction	39-6339	Model: 204B, 205A, 205A-1, and 212 helicopters
92-04-06	Piper	3 <del>9-64-5</del> 3	Model: PA-25, -25-235, and -25-260
92-04-09	Grob	39-6447	MadelTwin Astie and Twin Aster Trainer, G103 Twin IL and G103A Twin II Acro gliders
92-04-11	Piper	39-6455	Model: PA-42 PA-42-720, and PA-42-720R
92-04-11	Cessna	3 <del>9-6</del> 445	Model: 310, 320, 340, 401, 402, 411 414, 421
92-04-14	British Aerospace	39-6434	Model: Jetstream HP 137 MX 1, 200, 3101, and 3201


Docket Number	Fed. Reg. Date	Action Date	Description
92-CE-05-AD	02/27/92	05/06/92	Replacement of all Garrett AirResearch improperly overhauled aircraft starters procured from Classic Aviation with an approved part
91-CE-89-AD	03/02/92	05/04/92	Inspection of possibly severed elevator trim tab guide of Piper models PA-46-310P (Malibu) and PA-16-350P (Mirage)
91-CE-101-AD	03/02/92	05/04/92	Replacement of certain empennage countersunk rivets on Piper models PA-46-310P (Malibu) and PA-16-350P (Mirage) as indicated in Piper Service Bulletin 944
91-CE-96-AD	03/02/92	05/04/92	To prevent failure air driven attitude gyro and autopilot systems on Piper models PA-46-310P (Matibu) and PA-16-350P (Mirage) as indicated in Piper Service Bulletin 947A

Figure 52















Figure 57






ULFSTREAM AEROSPACE CORPORATION	CE-A			
Savannah, GA				
;-159 (G-I)		A1A17	1A17-19	CAR 4b
1159 (G-II).		A12EA	A12EA-18	CAR 4b
-1159À (G-II).		A12EA	A12EA-18	CAR 4b
3-1159B (G-IIÁ).		A12EA	A12EA-18	CAR 4b CAR 4b
<del>}-</del> (V		A12EA	A12EA-18	CAH 40
IAMBURGER FLUGZEUGBAU G.M.B.H	EU			
lamburg, West Germany				
HFB 320 HANSA		A14EU	A14EU-4	FAR 21.29 (CAR 4b)






Aircraft Make, Model & T.C. No.	STC No.	Description	RG.	STC Holder
GULFSTREAM AM	ERICAN			
G-44, AA-1, AA-1A, AA-1B, AA-5, AA-5A; T.C. A-734 A11EA, A16EA	SA308EA	Installation of A.R.P. Industries carburetor ice detection system 105AP in single and twin aircraft and single engine helicopters powered by Continental, Franklyn, and Lycoming type engines equipped with Marvel Schebler MA-2, MA-3, MA-3SPA, MA-4, MA-4-5, MA-6 and HA-6 series carburetors. Amended 10/20/787	EA	Alfred R. Puccinelli Co. DER 1-145 36 Bay Drive East Huntington, L.I., NY 11743
G-44; T.C. A-734	SA366AL	Installation of Cessna P/N 1223000-7 and -8 wing tips.	AL	George Pappas Aircraft Rebuilders P.O. Box 3567 Anchorage, AK 99501

Figure 62



lasud Number	Revised Date	Description	Subject Category
65-19E	04/00/91	Inspection Authorization Study Guide	Airmen
65-23A	07/22/87	Certification of Repairmen (Experimental Aircraft Builders	Airmen
FAA-S-8081-1A	11/00/87	Private Pilot - Practical Test Standards For Airplane, Rotorcraft, Glider, Lighter-Than-Air	Practical Test Standards
FAA-S-8081-2E	09/00/88	Commercial Pilot Practical Test Standard For Airplane, Rotorcraft, Glider, Lighter-Than-Air	Practical Test Standards
FAA-S-8081-3	04/00/89	Recreational Pilot Practical Test Standards For Airplanes (SEL, SES) and Rotorcraft (Helicopter, Gyroplane)	Practical Test Standards
FAA-S-8081-4A	03/00/89	Instrument Rating - Practical Test Standards For Airplane and Helicopter	Practical Test Standards
FAA-S-8081-5	08/00/88	Airline Transport Pilot and Type Rating - Practical Test Standards For Airplane and	Practical Test Standards



ı.də

Figure 65





Figure 66








Figure 68







Docket Number	Fed. Reg Date	Action Date	Description	FAR Parts Effectivity
HM-184F	02/16/92	02/18/92	Implementation of the International Civil Aviation Organization's Technical Instructions	171
HM-208	11/07/91	11/26/91	Hazardous Materials Transportation Registration and Fee Assessment Program; Additional Hearing Date	171
HM-208	10/10/91	10/21/91	Hezerdous Materials Transportation Registration and Fee Assessment Program:	171
HM-166X	09/07/91	10/07/91	Transportation of Hazardous Materials; Proposed Miscellaneous Amendments	171, 172
HM-1891	10/01/90	10/01/90	Hazardous Materials Regulations: Editorial Corrections and Clarifications	171, 172

Figure 71

Jider Jumber	Rev.	Title	lasued By	Date	Revised Date
50.3A	6	Compliance and Enforcement Program	AGC-200	8812	9010
320.11	13	Aircraft Accidents and Incidents	AFS-100	7607	8712
		Notification, Investigation, and Reporting			
130.2B	11	Airworthiness Certification of Aircraft and	AWS-200	7705	8910
		Related Approvals			
300.10	5	Airworthiness Inspectors Handbook	AFS-500	8811	901 1
400.10	5	Air Transportation Operators Inspector's	AFS-500	8808	9008
		Handbook			
700.1	7	General Aviation Operations Inspector's	AFS-500	8810	9010
		Handbook			

Figure 72









Figure 75





Subject

**GULFSTREAM AEROSPACE** G-IV ILLUSTRATED PARTS CATALOG CHAPTER 32 - LANDING GEAR

#### NOSE GEAR

Nose Landing Gear Installation (Sheet 1 of 4) Nose Landing Gear Door Installation Nose Landing Gear Assembly (Sheet 1 of 4)


#### MAIN GEAR

Main Landing Gear Installation (Sheet 1 of 5)
Main Landing Gear Door Assembly
Main Landing Gear Door Linkage Installation (Sheet 1 of 2)
Main Landing Gear Sequencing Linkage Installation
Main Landing Gear Faving Installation
Main Landing Gear Faving Installation

Main Landing Gear Strut Installation

Main Landing Gear Shock Absorber Assembly

















Esse Issue Applica					
lumber issue	Date	Description	Status	ATA	AD . · · ·
N-1	04/00/88 -	Landing Gear. Main langing gear door block, p/n. 1159LM40857-11	Mandatory	32	
IV <del>-</del> 2	06/00/88	Thrust Reverser. Inspection of actuator stow pressure hydraulic hose assembly installation for possible pinched condition	Mandatory	78	
N-3	06/00/88	Landing Gear. Nose gear downlock actuator, p/n 1159L40840-3	Mandatory	32	
<b>№</b> 4	02/01/89	Angle of estack. Stall Warning Computer (SWC) part number 965-0041-035	Mandatory	27	89-04-10
N-5	02/02/89	Fire protection. Engine fire extinguisher system	Mandatory	26	89-05-05
N-6	02/00/89				
IV-7A	10/01/91	Electrical power. Feeder cable	Mandatory	24	91-25-05

Figure 79






Figure 81




Figure 82




Figure 83





Figure 84








Figure 86





Figure 87







Figure 89








Figure 91




Figure 92





Figure 93







Figure 95








Figure 97





Figure 98











Figure 100



















Figure 104










































Figure 113

